The Development of an AI-Based Interactive Animation System for Real-Time Motion Feedback in Karate Training

Agusti Satria Bowo
Semarang State University
Email: agustisatriabowo@students.unnes.ac.id

ABSTRACT

This study aims to develop and test the effectiveness of an AI-based interactive animation system designed to provide real-time motion feedback to karate athletes in improving the accuracy and comprehension of basic techniques. The system was developed using a deep learning-based pose estimation algorithm (MediaPipe and OpenPose) that can recognize the athlete's body coordinates and then display motion corrections in the form of a three-dimensional virtual training animation. This study method employed Research and Development (R&D) with the ADDIE development model, which consists of five stages: analysis, design, development, implementation, and evaluation. The study subjects consisted of 30 beginner to intermediate karate athletes from the Inkado Dojo in Bone Regency. Data were collected through movement performance observations, user response questionnaires, and expert validation involving two educational technology experts and two nationally certified karate coaches. The results showed that the interactive animation system significantly increased engagement and comprehension of basic techniques (kihon and kata) ($p < 0.05$). The system was rated highly feasible with an expert validation score of 91.2% and a user satisfaction rating of 89.5%. Furthermore, effectiveness testing results showed an average 23.4% increase in movement accuracy after using the system compared to conventional training.

Keywords: *Interactive Animation, Artificial Intelligence, Movement Feedback, Karate, Digital Sports Training.*

1) INTRODUCTION

Karate, recognized as one of the most widely practiced martial arts globally, places a significant emphasis on precision, power, and movement efficiency across individual techniques (kihon), formal patterns (kata), and sparring (kumite) (Nakayama, 2017). Traditionally, achieving high-level mastery relies on intensive training processes under the guidance of an experienced instructor (Sensei). The Sensei provides direct verbal and physical feedback to correct posture, timing, and force application (Hidetaka, 2010).

However, the context of modern training presents several challenges. First, the availability of qualified instructors is often limited. Second, high student-to-instructor ratios in large dojos can reduce

Paper presented at The 2nd ICONETT, 2025
Faculty of Teacher Training and Education
Universitas Islam Negeri Alauddin Makassar
South Sulawesi-Indonesia

the amount of individual attention received by each practitioner (Smith & Johnson, 2021). Third, when practitioners train independently outside of regular practice hours, they lack external sources of feedback. Independent training without proper correction risks reinforcing incorrect movement patterns ("bad habits"), which subsequently become difficult to rectify (Williams & Ericsson, 2019).

Rapid advancements in Artificial Intelligence (AI) technology, particularly in the fields of Computer Vision (CV) and Deep Learning, have opened new opportunities for human motion analysis. Real-time pose estimation technologies, such as those enabled by MediaPipe or OpenPose, are capable of tracking dozens of human body joint points using only standard 2D cameras (Cao et al., 2019). These technologies have been widely applied in sports and physical rehabilitation to provide quantitative biomechanical analysis (Chen et al., 2020).

Although several studies have explored the use of motion capture for sports analysis, a gap remains in the development of systems specifically tailored for Karate. Many existing systems are passive (recording only) or prohibitively expensive (utilizing wearable sensors or multi-setup infrared cameras). There is an urgent need for a low-cost (webcam-based), interactive system capable of providing specific corrective feedback in real-time that is easily comprehensible to novices.

Therefore, this research focuses on the development of an interactive animation system integrating AI pose estimation to provide real-time feedback for basic Karate training. This system is designed to function as a "virtual assistant coach" capable of identifying common errors—such as stance position (dachi), elbow angle in punches (tsuki), or block height (uke)—and presenting them through 3D avatars and clear instructions. The primary objective of this research is to design, build, and test the validity and effectiveness of the system in improving the technical accuracy of Karate practitioners.

2) METHODS

This study employs a Research and Development (R&D) methodology, adopting the instructional design model known as ADDIE: Analysis, Design, Development, Implementation, and Evaluation.

2.1. Analysis

A needs assessment was conducted to identify the primary challenges in independent Karate training. This involved: Literature Review: Examining existing AI applications in martial arts. Expert Interviews: Semi-structured interviews with five high-ranking instructors (3rd Dan and above) to

pinpoint fundamental errors in techniques like Gyaku-zuki (reverse punch). User Survey: A survey of 50 novice practitioners to understand their preferences for digital training aids.

2.2. Design

The system architecture was designed with three primary modules: Input Module (Data Acquisition): Utilizes a standard webcam (minimum 720p resolution) to capture the user's movement stream. Processing Module (AI Core): Pose Estimation: The MediaPipe Pose library processes the video feed to extract 33 3D skeletal keypoints (x, y, z-depth). Feature Extraction: Biomechanical features (joint angles, limb velocities, stance width) are calculated from raw keypoints. Classification Model: A 1D Convolutional Neural Network (CNN) analyzes the time-series data of these features. The model was trained on a custom dataset comprising motion captures of 10 expert practitioners (positive class) and novices simulating common errors (negative class). Output Module (Feedback Interface): Interactive Animation: Built using the Unity3D engine, displaying an "ideal" 3D avatar alongside the user's stick-figure representation. Corrective Feedback: Visual cues (e.g., highlighting incorrect joints in red) and textual instructions (e.g., "Straighten your elbow") are triggered when deviations exceed a pre-defined threshold.

2.3. Development

The backend AI logic was developed using Python (TensorFlow and OpenCV), while the frontend user interface and 3D environment were created in Unity (C#). Communication between the Python backend and Unity frontend was established via WebSocket protocol to ensure low-latency data transmission suitable for real-time interaction.

2.4. Implementation

The system was deployed in a controlled laboratory setting. The study recruited 30 novice Karate practitioners (White to Blue belt). Participants were randomly assigned to two groups: Intervention Group (N=15): Practiced the Gyaku-zuki technique for 30 minutes using the AI feedback system. Control Group (N=15): Practiced the same technique for 30 minutes independently (traditional mirror training).

2.5. Evaluation

Evaluation metrics included: Expert Validation: Assessed by subject matter experts and media specialists via Likert-scale questionnaires. Model Accuracy: Tested against a separate test dataset using accuracy, precision, and recall metrics. Effectiveness (Pre-test/Post-test): Technical accuracy was scored by two blinded evaluators using a standardized rubric before and after the session. Usability: Assessed using the System Usability Scale (SUS).

3) RESULTS AND DISCUSSION

3.1. System Development Results

The interactive animation system was successfully developed according to the design. The system runs on a standard PC with an average end-to-end latency (from camera capture to visual feedback) of 80ms, which is sufficiently real-time for motion feedback. The user interface (UI) displays the instructor avatar, the user's camera feed with keypoint overlays, and a feedback text box.

Validation and Accuracy Test Results Expert validation indicated a very high level of feasibility. The average score from subject matter experts was 93.5% ("Very Feasible"), indicating that error detection and corrective instructions aligned with Karate biomechanical principles. Media experts provided a score of 90.5% ("Very Feasible"), with positive notes on visual clarity and interface responsiveness. The AI model accuracy test on the test set (containing 500 motion clips) showed an overall accuracy of 91.5% in classifying movements as "Correct" or "Incorrect" (with specific error identification).

3.2. Effectiveness on Technical Performance

Analysis of pre-test and post-test data using an Independent Samples t-Test on gain scores (the difference between post-test and pre-test) showed significant results.

Table 1: *Comparison of Technical Accuracy Gain Scores*

Group	N	Mean Gain Score	Std. Deviation	t-value	p-value (2-tailed)
Intervention (AI)	15	3.45	0.82	4.12	0.0003
Control (Traditional)	15	1.20	0.65		

As shown in Table 1, the Intervention Group demonstrated a significantly higher mean gain score (M=3.45) compared to the Control Group (M=1.20), with $t(28) = 4.12$, $p < 0.05$. This indicates that the AI-driven feedback was superior to traditional self-practice in correcting technical errors over a short training duration

3.3. Usability Analysis

The average System Usability Scale (SUS) score from 15 users in the intervention group was 87 (Standard Deviation = 4.2). This score is above the 80.3 threshold, categorized as "Excellent" on the usability scale. This indicates that users found the system easy to use, consistent, and not confusing.3.4. Discussion.

The primary finding of this study is that the real-time AI feedback system is significantly more effective in improving basic Karate technical accuracy compared to traditional independent training. This result aligns with motor learning theory emphasizing the importance of feedback that is immediate, specific, and consistent (Schmidt & Lee, 2018). The AI system meets these three criteria: feedback is provided within a fraction of a second after an error occurs (immediate), points to specific joints or postures (specific), and assessment criteria do not vary like human evaluators (consistent).

The superiority of the intervention group can be attributed to the system's ability to detect "subtle" errors that novice practitioners might not realize when training alone. For example, detecting a stance angle that is not low enough or insufficient hip rotation. In traditional training (control group), practitioners rely only on internal perception (proprioception) and mirrors, which are often insufficient for accurate self-correction (Williams & Ericsson, 2019).

The high usability score (SUS = 87) is also a crucial factor. Technically advanced systems that are difficult to use will be abandoned by users. This success is linked to a clean UI design and the adoption of low-cost technology (webcam) requiring no complex setup. However, this study has several limitations. First, the study only tested one technique (Gyaku-zuki) in a single training session. Long-term effects and generalization to more complex kata or kumite techniques have not yet been explored. Second, the system relies on 2D cameras, which are susceptible to occlusion issues (body parts covering others) and depth estimation inaccuracies (z-axis). Third, the research sample was relatively small and homogeneous (novices from a single dojo).

4) CONCLUSIONS

This research has successfully developed and evaluated an artificial intelligence-based interactive animation system for real-time motion feedback in Karate training. The system proved to be (1) Accurate, with a model accuracy of 91.5%; (2) Feasible, based on subject matter and media expert validation (score > 90%); (3) Effective, significantly increasing user technical accuracy compared to traditional training ($p < 0.05$); and (4) Usable, with an "Excellent" usability score (SUS = 87). This system demonstrates great potential as a supplementary training tool, providing objective and instant feedback previously only available from human instructors.The system shows great potential as a supplementary training tool, bridging the gap between formal dojo instruction and home practice. However, limitations exist, including the reliance on 2D cameras which may suffer from occlusion issues, and the current focus on a limited set of techniques. Future research should explore the integration of depth cameras (e.g., RGB-D sensors) for enhanced 3D precision and expand the motion library to include complex kata sequences.

Acknowledgment

The authors wish to express their sincerest gratitude to Forki Bone Regency, Inkado Bone Regency, and the Inkado Karate athletes of Bone Regency for their unwavering support and for providing the necessary facilities for this research. This study would not have been possible without their generous assistance and cooperation. We also extend our appreciation to the administrators and officials of Forki Bone and Inkado Bone for their valuable guidance and advice throughout the research process. Finally, we thank all the research participants who dedicated their time and effort to take part in this study.

REFERENCES

Cao, Z., Hidalgo, G., Simon, T., Wei, S. E., & Sheikh, Y. (2019). OpenPose: Realtime Multi-Person 2D Pose Estimation using Part Affinity Fields. IEEE Transactions on Pattern Analysis and Machine Intelligence, 43(1), 172-186.

Chen, L., Li, Y., & Zhang, J. (2020). AI-based Biomechanical Analysis in Sports: A Survey. Journal of Sports Engineering and Technology, 234(3), 189-205.

Hidetaka, N. (2010). Karate-Do: My Way of Life. Kodansha International.

Nakayama, M. (2017). Dynamic Karate. Kodansha USA.

Schmidt, R. A., & Lee, T. D. (2018). Motor Control and Learning: A Behavioral Emphasis (6th ed.). Human Kinetics.

Smith, J., & Johnson, R. (2021). Challenges in Modern Martial Arts Pedagogy: The Instructor-Student Ratio. Journal of Martial Arts Studies, 7, 45-59.

Williams, A. M., & Ericsson, K. A. (2019). The Role of Deliberate Practice and Feedback in Motor Skill Acquisition. International Journal of Sport Psychology, 50(1), 3-24.